



STRAIGHT RADIATOR HOSE

Recommended Use:

General purpose automotive radiator hose designed to resist vibration and collapse. Tube and cover are resistant to heat, ozone, and all anti-freeze solutions. Commonly used for straight coolant connections in automotive and industrial applications.

Warning- Do not use for fuel or oil transfer applications.

Features:

- Higher operating temperature than most radiator hoses.
- Large range of sizes.
- Meets SAE 20R1, Class D1 specifications.
- Temperature range -40°C to 127°C.
- 2 ply reinforcement



Construction:

- INNER TUBE:** Black EPDM Tube.
REINFORCING: 2 plies of Synthetic Fabric.
OUTER COVER: Black EPDM Wrapped Cover.

PRODUCT CODE	ID inch	ID (mm)	OD (mm)	WEIGHT kg/m	PRODUCT CODE	ID inch	ID (mm)	OD (mm)	WEIGHT kg/m
TSRH-012	1/2"	12	22	0.63	TSRH-054	2-1/8"	54	64	1.73
TSRH-020	3/4"	19	28	0.64	TSRH-057	2-1/4"	57	67	1.76
TSRH-022	7/8"	22	31	0.66	TSRH-060	2-3/8"	60	70	1.82
TSRH-025	1"	25	35	0.71	TSRH-063	2-1/2"	63	73	1.86
TSRH-028	1-1/8"	29	38	0.84	TSRH-067	2-5/8"	67	77	1.94
TSRH-032	1-1/4"	32	41	0.96	TSRH-070	2-3/4"	70	80	1.99
TSRH-035	1-3/8"	35	44	0.98	TSRH-073	2-7/8"	73	83	2.01
TSRH-038	1-1/2"	38	47	1.19	TSRH-076	3"	76	86	2.09
TSRH-041	1-5/8"	41	51	1.31	TSRH-080	3-1/4"	80	92	2.31
TSRH-045	1-3/4"	44	55	1.41	TSRH-090	3-1/2"	90	100	2.62
TSRH-048	1-7/8"	48	58	1.53	TSRH-102	4"	102	112	3.61
TSRH-051	2"	51	61	1.64	TSRH-114	4-1/2"	114	123	4.12
Continued					TSRH-127	5"	127	137	4.81

NB ¹ All Lengths are 3ft - 914.4mm long.
² Working pressure sizes 1/2" - 2" 150psi, 2 1/8" - 2 3/8" 100psi, 2 1/2"-2.7/8" 75psi, 3"-5" 50psi
³ TSRH-114 & TSRH-127 BLUE XTREME Product

